

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors : Takuya SEKIGUCHI a et al.

Certificate of Corrections Branch

Patent No. : 7,260,786

Issued: August 21, 2007

Appl. No. : 10/695,901

Filed: October 30, 2003

For : DISPLAY CONTROL DEVICE AND METHOD

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop **Certificate of Correction Branch**
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir :

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent which are apparently the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since the errors are the fault of the U.S. Patent and Trademark Office, no fee is due.

On the cover page of the printed patent, under U.S. PATENT DOCUMENTS, insert the following references, which were cited in the Information Disclosure Statement filed on February 20, 2004, and considered by the Examiner as indicated by the attachment to the Notice of Allowance and Fee(s) Due.

4,890,257	12/1989	Anthias et al.
4,897,801	1/1990	Kazama et al.
5,091,717	2/1992	Carrie et al.
5,720,016	2/1998	Egashira
5,734,380	3/1998	Adams et al.

At column 24, line 6 (claim 7, line 6), of the printed patent, insert----the----
After “one of”. This appeared correctly on page 4, line 4 of the Amendment Under
37 C.F.R§1.312 filed on May 31, 2007.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-
identified patent as follows:


On the cover page of the printed patent, under U.S. PATENT DOCUMENTS, insert the
references:

4,890,257	12/1989	Anthias et al.
4,897,801	1/1990	Kazama et al.
5,091,717	2/1992	Carrie et al.
5,720,016	2/1998	Egashira
5,734,380	3/1998	Adams et al.

At column 24, line 6 (claim 7, line 6), of the printed patent, insert---the---- after “one of”.

Should there be any questions, the Examiner is invited to contact the undersigned at the
below-listed number.

Respectfully Submitted,
Takuya SEKIGUCHI et al.


Bruce H. Bernstein
Reg. No. 29,027

Steven Wegman
Reg. No. 31,438

March 21, 2008
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,260,786 B2

APPLICATION NO.: 10/695,901

ISSUE DATE : August 21, 2007

INVENTOR(S) : Takuya SEKIGUCHI et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page of the printed patent, under U.S. PATENT DOCUMENTS, insert the references:

4,890,257	12/1989	Anthias et al.
4,897,801	1/1990	Kazama et al.
5,091,717	2/1992	Carrie et al.
5,720,016	2/1998	Egashira
5,734,380	3/1998	Adams et al.

At column 24, line 6 (claim 7, line 6), of the printed patent, insert---the---
after "one of".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.

1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.